

Stocklist Stainless Steel Tubes

Material: 1.4301 (AISI 304)

As of: 09/12

Robert Helwig GmbHSchlesische Str. 26 • 10997 Berlin
Tel. 030 6121089 • Fax 030 6118006

| Article No. | OD | WT | ID | |
|--------------------|---------------|-----------|-----------|--|
| 1000 | 0.20 | 0.055 | 0.09 | |
| 1200 | 0.30 | 0.05 | 0.20 | |
| 1300 a | 0.40 | 0.10 | 0.20 | |
| 1300 b | 0.50 | 0.10 | 0.30 | |
| 1300 | 0.50 | 0.125 | 0.25 | |
| 1300 c | 0.50 | 0.15 | 0.20 | |
| 1300 f | 0.50 | 0.175 | 0.15 | |
| 1300 e | 0.50 | 0.19 | 0.12 | |
| 1300 d | 0.60 | 0.10 | 0.40 | |
| 1301 | 0.60 | 0.15 | 0.30 | |
| 1301 c | 0.65 | 0.08 | 0.49 | |
| 1301 a | 0.65 | 0.15 | 0.35 | |
| 1301 d | 0.65 | 0.175 | 0.30 | |
| 1301 b | 0.65 | 0.20 | 0.25 | |
| 1301 e | 0.65 | 0.25 | 0.15 | |
| 1302 c | 0.70 | 0.05 | 0.60 | |
| 1302 b | 0.70 | 0.10 | 0.50 | |
| 1302 a | 0.70 | 0.15 | 0.40 | |
| 1302 | 0.70 | 0.175 | 0.35 | |
| 1302 d | 0.75 | 0.175 | 0.40 | |
| 1302 e | 0.80 | 0.10 | 0.60 | |
| 1303 a | 0.80 | 0.15 | 0.50 | |
| 1303 f | 0.80 | 0.175 | 0.45 | |
| 1303 e | 0.80 | 0.20 | 0.40 | |
| 1303 c | 0.80 | 0.26 | 0.28 | |
| 1303 d | 0.85 | 0.10 | 0.65 | |
| 1303 b | 0.85 | 0.175 | 0.50 | |
| 1304 c | 0.90 | 0.10 | 0.70 | |
| 1304 a | 0.90 | 0.15 | 0.60 | |
| 1304 b | 0.90 | 0.20 | 0.50 | |
| 1304 f | 0.95 | 0.175 | 0.60 | |
| 1304 g | 1.00 | 0.125 | 0.75 | |
| 1304 e | 1.00 | 0.10 | 0.80 | |
| 1304 d | 1.00 | 0.15 | 0.70 | |
| 1305 | 1.00 | 0.20 | 0.60 | |
| 1305 a | 1.00 | 0.25 | 0.50 | |
| 1305 c | 1.00 | 0.30 | 0.40 | |
| 1305 e | 1.00 | 0.345 | 0.31 | |
| 1305 b | 1.00 | 0.35 | 0.30 | |
| 1306 c | 1.10 | 0.10 | 0.90 | |
| 1306 a | 1.10 | 0.15 | 0.80 | |
| 1306 b | 1.10 | 0.20 | 0.70 | |
| 1306 d | 1.10 | 0.25 | 0.60 | |
| 1307 o | 1.20 | 0.10 | 1.00 | |
| 1307 b | 1.20 | 0.15 | 0.90 | |
| 1307 | 1.20 | 0.20 | 0.80 | |
| 1307 l | annealed 1.20 | 0.20 | 0.80 | |
| 1307 a | 1.20 | 0.25 | 0.70 | |
| 1307 k | 1.20 | 0.30 | 0.60 | |
| 1307 n | 1.20 | 0.40 | 0.40 | |
| 1307 c | 1.20 | 0.50 | 0.20 | |

Please state article No. in enquiries and orders

Stocklist Stainless Steel Tubes

Material: 1.4301 (AISI 304)

As of: 09/12

Robert Helwig GmbHSchlesische Str. 26 • 10997 Berlin
Tel. 030 6121089 • Fax 030 6118006

| Art.Nr.: | AD | WD | ID | |
|---------------------|-----------|-----------|-----------|--|
| 1307 m | 1.30 | 0.15 | 1.00 | |
| 1308 | 1.30 | 0.20 | 0.90 | |
| 1308 a | 1.30 | 0.25 | 0.80 | |
| 1308 b | 1.30 | 0.30 | 0.70 | |
| 1308 c | 1.30 | 0.45 | 0.40 | |
| 1309 b | 1.40 | 0.10 | 1.20 | |
| 1309 c | 1.40 | 0.15 | 1.10 | |
| 1309 | 1.40 | 0.20 | 1.00 | |
| 1309 a | 1.40 | 0.50 | 0.40 | |
| 1309 e | 1.46 | 0.18 | 1.10 | |
| 1309 d | 1.50 | 0.10 | 1.30 | |
| 1310 | 1.50 | 0.15 | 1.20 | |
| 1311 | 1.50 | 0.20 | 1.10 | |
| 1312 | 1.50 | 0.25 | 1.00 | |
| 1313 | 1.50 | 0.30 | 0.90 | |
| 1314 | 1.50 | 0.40 | 0.70 | |
| 1314 a | 1.50 | 0.50 | 0.50 | |
| 1314 b | 1.60 | 0.10 | 1.40 | |
| 1315 | 1.60 | 0.15 | 1.30 | |
| 1315 a | 1.60 | 0.25 | 1.10 | |
| 1315 b | 1.60 | 0.30 | 1.00 | |
| 1315 c | 1.60 | 0.40 | 0.80 | |
| 1315 f | 1.60 | 0.45 | 0.70 | |
| 1315 d | 1.60 | 0.50 | 0.60 | |
| 1315 e | 1.60 | 0.64 | 0.32 | |
| 1316 f | 1.70 | 0.10 | 1.50 | |
| 1316 a | 1.70 | 0.20 | 1.30 | |
| 1316 b | 1.70 | 0.25 | 1.20 | |
| 1316 c | 1.70 | 0.30 | 1.10 | |
| 1316 d | 1.70 | 0.50 | 0.70 | |
| 1316 e | 1.80 | 0.10 | 1.60 | |
| 1317 c | 1.80 | 0.15 | 1.50 | |
| 1317 f | 1.80 | 0.16 | 1.48 | |
| 1317 d | 1.80 | 0.20 | 1.40 | |
| 1317 | 180 | 0.25 | 1.30 | |
| 1317 a | 1.80 | 0.30 | 1.20 | |
| 1317 g | 1.80 | 0.50 | 0.80 | |
| 1317 b | 1.80 | 0.60 | 0.60 | |
| 1317 e | 1.90 | 0.10 | 1.70 | |
| 1318 | 2.00 | 0.10 | 1.80 | |
| 1319 | 2.00 | 0.15 | 1.70 | |
| 1320 | 2.00 | 0.20 | 1.60 | |
| 1321 | 2.00 | 0.25 | 1.50 | |
| 1322 | 2.00 | 0.30 | 1.40 | |
| 1323 | 2.00 | 0.40 | 1.20 | |
| 1323 d | 2.00 | 0.50 | 1.00 | |
| 1323 e annealed | 2.00 | 0.50 | 1.00 | |
| 1322 a | 2.00 | 0.60 | 0.80 | |
| 1322 b | 2.00 | 0.70 | 0.60 | |

Stocklist Stainless Steel Tubes

Material: 1.4301 (AISI 304)

As of: 09/12

Robert Helwig GmbHSchlesische Str. 26 • 10997 Berlin
Tel. 030 6121089 • Fax 030 6118006

| Art.Nr.: | AD | WD | ID | |
|-----------------|-----------|-----------|-----------|--|
| 1322 c | 2.10 | 0.10 | 1.90 | |
| 1323 a | 2.10 | 0.15 | 1.80 | |
| 1323 b | 2.10 | 0.20 | 1.70 | |
| 1323 g | 2.10 | 0.25 | 1.60 | |
| 1323 f | 2.10 | 0.30 | 1.50 | |
| 1323 c | 2.20 | 0.10 | 2.00 | |
| 1324 e | 2.20 | 0.20 | 1.80 | |
| 1324 | 2.20 | 0.30 | 1.60 | |
| 1324 f | 2.20 | 0.40 | 1.40 | |
| 1324 a | 2.20 | 0.50 | 1.20 | |
| 1324 b | 2.30 | 0.10 | 2.10 | |
| 1324 g | 2.30 | 0.15 | 2.00 | |
| 1324 c | 2.30 | 0.25 | 1.80 | |
| 1324 d | 2.30 | 0.50 | 1.30 | |
| 1325 a | 2.40 | 0.20 | 2.00 | |
| 1325 | 2.40 | 0.30 | 1.80 | |
| 1325 c | 2.40 | 0.40 | 1.60 | |
| 1325 b | 2.40 | 0.70 | 1.00 | |
| 1325 e | 2.48 | 0.14 | 2.20 | |
| 1326 c | 2.50 | 0.15 | 2.20 | |
| 1326 a | 2.50 | 0.20 | 2.10 | |
| 1326 | 2.50 | 0.25 | 2.00 | |
| 1327 | 2.50 | 0.30 | 1.90 | |
| 1327 a | 2.50 | 0.35 | 1.80 | |
| 1327 b | 2.50 | 0.40 | 1.70 | |
| 1328 | 2.50 | 0.50 | 1.50 | |
| 1328 a | 2.60 | 0.20 | 2.20 | |
| 1328 b | 2.60 | 0.40 | 1.80 | |
| 1328 c | 2.70 | 0.125 | 2.45 | |
| 1328 d | 2.70 | 0.40 | 1.90 | |
| 1328 f | 2.70 | 0.50 | 1.70 | |
| 1328 e | 2.80 | 0.25 | 2.30 | |
| 1329 | 2.80 | 0.30 | 2.20 | |
| 1329 a | 2.90 | 0.10 | 2.70 | |
| 1329 b | 2.90 | 0.15 | 2.60 | |
| 1329 c | 3.00 | 0.10 | 2.80 | |
| 1330 | 3.00 | 0.15 | 2.70 | |
| 1330 a | 3.00 | 0.20 | 2.60 | |
| 1330 c annealed | 3.00 | 0.20 | 2.60 | |
| 1331 | 3.00 | 0.25 | 2.50 | |
| 1330 b | 3.00 | 0.30 | 2.40 | |
| 1331 a | 3.00 | 0.40 | 2.20 | |
| 1334 a | 3.00 | 0.45 | 2.10 | |
| 1333 | 3.00 | 0.50 | 2.00 | |
| 1333 h annealed | 3.00 | 0.50 | 2.00 | |
| 1333 c | 3.00 | 0.60 | 1.80 | |
| 1333 d | 3.00 | 0.70 | 1.60 | |
| 1333 k | 3.00 | 0.75 | 1.50 | |
| 1333 e | 3.00 | 1.00 | 1.00 | |
| 1333 a | 3.00 | 1.20 | 0.60 | |

Stocklist Stainless Steel Tubes

Material: 1.4301 (AISI 304)

As of: 09/12

Robert Helwig GmbHSchlesische Str. 26 • 10997 Berlin
Tel. 030 6121089 • Fax 030 6118006

| Art.Nr.: | AD | WD | ID | |
|--------------------|-----------|-----------|-----------|--|
| 1333 i | 3.10 | 0.375 | 2.35 | |
| 1333 j | 3.10 | 038 | 2.34 | |
| 1333 f | 3.15 | 0.10 | 2.95 | |
| 1333 g | 3.30 | 040 | 2.50 | |
| 1334 b | 3.30 | 0.50 | 2.30 | |
| 1332 | 3.40 | 0.15 | 3.10 | |
| 1332 a | 3.40 | 0.40 | 2.60 | |
| 1335 m | 3.50 | 0.10 | 3.30 | |
| 1335 b | 3.50 | 0.25 | 3.00 | |
| 1335 n | 3.50 | 0.20 | 3.10 | |
| 1335 e | 3.50 | 0.30 | 2.90 | |
| 1335 f | 3.50 | 0.35 | 2.80 | |
| 1335 c | 3.50 | 0.40 | 2.70 | |
| 1335 a | 3.50 | 0.50 | 2.50 | |
| 1335 g | 3.50 | 0.75 | 2.00 | |
| 1335 h | 3.60 | 0.10 | 3.40 | |
| 1335 i | 3.80 | 0.25 | 3.30 | |
| 1335 j | 3.80 | 0.30 | 3.20 | |
| 1335 d | 3.80 | 1.20 | 1.40 | |
| 1335 k | 3.80 | 1.30 | 1.20 | |
| 1335 l | 3.90 | 0.10 | 3.70 | |
| 1336 | 4.00 | 0.25 | 3.50 | |
| 1337 | 4.00 | 0.30 | 3.40 | |
| 1337 a | 4.00 | 0.40 | 3.20 | |
| 1338 | 4.00 | 0.50 | 3.00 | |
| 1338 a | 4.00 | 0.70 | 2.60 | |
| 1338 r annealed | 4.00 | 0.70 | 2.60 | |
| 1338 b | 4.00 | 0.75 | 2.50 | |
| 1338 c | 4.00 | 1.00 | 2.00 | |
| 1338 d | 4.00 | 1.25 | 1.50 | |
| 1338 e | 4.00 | 1.50 | 1.00 | |
| 1338 t | 4.20 | 0.25 | 3.70 | |
| 1338 f | 4.20 | 0.30 | 3.60 | |
| 1338 s | 4.40 | 0.20 | 4.00 | |
| 1338 p | 4.50 | 0.20 | 4.10 | |
| 1338 g | 4.50 | 0.25 | 4.00 | |
| 1339 q | 4.50 | 0.35 | 3.80 | |
| 1338 i | 4.50 | 0.50 | 3.50 | |
| 1338 j | 4.50 | 0.75 | 3.00 | |
| 1338 k | 4.50 | 1.00 | 2.50 | |
| 1338 l | 4.60 | 0.45 | 3.70 | |
| 1338 m | 4.70 | 0.50 | 3.70 | |
| 1338 n | 4.80 | 0.35 | 4.10 | |
| 1338 o | 5.00 | 0.25 | 4.50 | |
| 1339 a | 5.00 | 0.30 | 4.40 | |
| 1339 b | 5.00 | 0.40 | 4.20 | |
| 1340 | 5.00 | 0.50 | 4.00 | |
| 1340 i annealed | 5.00 | 0.50 | 4.00 | |
| 1340 a | 5.00 | 0.75 | 3.50 | |
| 1340 b | 5.00 | 1.00 | 3.00 | |
| 1340 c | 5.00 | 1.25 | 2.50 | |

Please state article No. in enquiries and orders

Stocklist Stainless Steel Tubes

Material: 1.4301 (AISI 304)

As of: 09/12

Robert Helwig GmbHSchlesische Str. 26 • 10997 Berlin
Tel. 030 6121089 • Fax 030 6118006

| Art.Nr.: | AD | WD | ID | |
|---------------------|-----------|-----------|-----------|--|
| 1340 d | 5.00 | 1.50 | 2.00 | |
| 1340 h | 5.40 | 0.20 | 5.00 | |
| 1340 e | 5.50 | 0.25 | 5.00 | |
| 1340 f | 5.50 | 0.50 | 4.50 | |
| 1340 j | 5.50 | 0.75 | 4.00 | |
| 1341 i annealed | 6.00 | 1.00 | 4.00 | |
| 1340 g | 6.00 | 0.20 | 5.60 | |
| 1341 | 6.00 | 0.30 | 5.40 | |
| 1341 a | 6.00 | 0.50 | 5.00 | |
| 1341 b | 6.00 | 0.75 | 4.50 | |
| 1341 c | 6.00 | 1.00 | 4.00 | |
| 1341 d | 6.00 | 1.50 | 3.00 | |
| 1341 e | 6.20 | 0.18 | 5.84 | |
| 1341 f | 6.50 | 0.25 | 6.00 | |
| 1341 g | 6.50 | 0.50 | 5.50 | |
| 1341 h | 6.50 | 1.00 | 4.50 | |
| 1342 | 7.00 | 0.30 | 6.40 | |
| 1342 a | 7.00 | 0.50 | 6.00 | |
| 1342 f annealed | 7.00 | 0.50 | 6.00 | |
| 1342 b | 7.00 | 0.75 | 5.50 | |
| 1342 c | 7.00 | 1.00 | 5.00 | |
| 1342 d | 7.40 | 0.15 | 7.10 | |
| 1342 | 7.50 | 0.25 | 7.00 | |
| 1343 | 8.00 | 0.25 | 7.50 | |
| 1343 a | 8.00 | 0.30 | 7.40 | |
| 1343 o annealed | 8.00 | 0.30 | 7.40 | |
| 1343 b | 8.00 | 0.50 | 7.00 | |
| 1343 p annealed | 8.00 | 0.50 | 7.00 | |
| 1343 c | 8.00 | 0.70 | 6.60 | |
| 1343 d | 8.00 | 0.75 | 6.50 | |
| 1343 e | 8.00 | 0.80 | 6.40 | |
| 1343 f | 8.00 | 1.00 | 6.00 | |
| 1343 g | 8.00 | 1.50 | 5.00 | |
| 1343 k | 8.00 | 1.75 | 4.50 | |
| 1343 l | 8.00 | 2.00 | 4.00 | |
| 1343 h | 8.10 | 1.05 | 6.00 | |
| 1343 m | 8.40 | 0.20 | 8.00 | |
| 1343 i | 8.50 | 0.50 | 7.50 | |
| 1343 n | 8.50 | 1.00 | 6.50 | |
| 1343 j | 9.00 | 0.20 | 8.60 | |
| 1344 | 9.00 | 0.30 | 8.40 | |
| 1344 a | 9.00 | 0.50 | 8.00 | |
| 1344 g annealed | 9.00 | 0.50 | 8.00 | |
| 1344 b | 9.00 | 1.00 | 7.00 | |
| 1344 c | 9.00 | 1.50 | 6.00 | |
| 1344 d | 9.50 | 0.75 | 8.00 | |
| 1344 e | 10.00 | 0.20 | 9.60 | |
| 1344 f | 10.00 | 0.30 | 9.40 | |
| 1345 | 10.00 | 0.50 | 9.00 | |
| 1345 a | 10.00 | 0.75 | 8.50 | |
| 1345 b | 10.00 | 1.00 | 8.00 | |

Please state article No. in enquiries and orders

Stocklist Stainless Steel Tubes

Material: 1.4301 (AISI 304)

As of: 09/12

Robert Helwig GmbHSchlesische Str. 26 • 10997 Berlin
Tel. 030 6121089 • Fax 030 6118006

| Art.Nr.: | AD | WD | ID | |
|-----------------|-----------|-----------|-----------|--|
| 1345 c | 10.00 | 1.50 | 7.00 | |
| 1345 d | 10.00 | 2.00 | 6.00 | |
| 1345 g | 11.00 | 0.30 | 10.40 | |
| 1345 e | 11.00 | 0.50 | 10.00 | |
| 1345 f | 11.00 | 1.00 | 9.00 | |
| 1346 | 12.00 | 0.30 | 11.40 | |
| 1346 a | 12.00 | 0.50 | 11.00 | |
| 1346 b | 12.00 | 1.00 | 10.00 | |
| 1346 c | 12.00 | 1.50 | 9.00 | |
| 1347 | 13.00 | 0.50 | 12.00 | |
| 1347 a | 13.00 | 1.00 | 11.00 | |
| 1348 | 14.00 | 0.50 | 13.00 | |
| 1348 a | 14.00 | 1.00 | 12.00 | |
| 1348 b | 14.00 | 2.00 | 10.00 | |
| 1348 c | 15.00 | 0.50 | 14.00 | |
| 1348 n | 15.00 | 1.00 | 13.00 | |
| 1348 d | 15.00 | 1.50 | 12.00 | |
| 1348 e | 16.00 | 0.50 | 15.00 | |
| 1348 f | 16.00 | 1.00 | 14.00 | |
| 1348 g | 16.00 | 1.50 | 13.00 | |
| 1348 h | 17.00 | 1.00 | 15.00 | |
| 1348 i | 18.00 | 0.50 | 17.00 | |
| 1348 o | 18.00 | 1.00 | 16.00 | |
| 1348 j | 18.00 | 1.50 | 15.00 | |
| 1348 k | 20.00 | 0.50 | 19.00 | |
| 1348 l | 21.00 | 0.45 | 20.10 | |
| 1348 p | 25.00 | 2.00 | 21.00 | |
| 1348 m | 30.00 | 1.00 | 28.00 | |

Stainless steel tubes, material 1.4571 (V4A)

| Article No. | OD | WT | ID | |
|--------------------|-----------|-----------|-----------|--|
| 1605 b | 0.90 | 0.20 | 0.50 | |
| 1617 | 1.80 | 0.25 | 1.30 | |
| 1618 | 2.50 | 0.30 | 1.90 | |
| 1646 a | 12.00 | 0.50 | 11.00 | |

Special section tube, material : 1.4309

| Article No. | OD | WT | ID | |
|--------------------|-----------|-----------|-----------|--|
| 1414 | 3.00 | x 3.00 | x 0.50 | |
| 1414 a | 3.50 | x 3.50 | x 0.50 | |
| 1414 b | 4.00 | x 4.00 | x 0.50 | |
| 1414 c | 5.00 | x 5.00 | x 0.50 | |
| 1414 d | 6.00 | x 6.00 | x 0.50 | |

| Stainless steel wire | | Material: 1.4441 | |
|------------------------------------|-----------|-------------------------|--|
| bright, in straight lengths | | | |
| Art.Nr.: | AD | Länge in mm | |
| 1500 b | 0.10 | 1000 | |
| 1500 a | 0.15 | 1000 | |
| 1500 | 0.20 | 1000 | |
| 1501 | 0.30 | 1000 | |
| 1502 | 0.40 | 1000 | |
| 1502 a | 0.45 | 1000 | |
| 1503 | 0.50 | 1000 | |
| 1504 | 0.60 | 1000 | |
| 1504 a | 0.65 | 1000 | |
| 1505 | 0.70 | 1000 | |
| 1506 | 0.80 | 1000 | |
| 1507 | 0.90 | 1000 | |
| 1508 | 1.00 | 1000 | |
| 1508 a | 1.10 | 1000 | |
| 1509 | 1.20 | 1000 | |
| 1510 | 1.30 | 1000 | |
| 1511 | 1.40 | 1000 | |
| 1512 | 1.50 | 1000 | |
| 1512 a | 1.60 | 1000 | |
| 1513 | 1.70 | 1000 | |
| 1514 | 1.80 | 1000 | |
| 1514 a | 1.90 | 1000 | |
| 1515 a | 2.00 | 1000 | |
| 1516 a | 2.20 | 1000 | |
| 1516 | 2.30 | 1000 | |
| 1517 | 2.50 | 1000 | |
| 1518 | 2.80 | 1000 | |
| 1519 | 3.00 | 1000 | |
| 1519 a | 4.00 | 1000 | |
| 1519 b | 5.00 | 1000 | |

All tubes also available as cut tubes

Price on request (depending on quantity)